

Search for Neutrinos from the Galactic 4FGL Sources with the Pion-bump Signature with IceCube

The IceCube Collaboration

(a complete list of authors can be found at the end of the proceedings)

E-mail: agranados@icecube.wisc.edu, rbabu@icecube.wisc.edu,
mnisa@icecube.wisc.edu

The IceCube Neutrino Observatory, located at the South Pole, covers a cubic kilometer of Antarctic ice, and is designed to detect astrophysical neutrinos in the TeV-PeV energy range. While IceCube has recently identified a diffuse flux of neutrinos originating from the Galactic Plane, specific sources of astrophysical neutrinos within the Milky Way remain elusive. Hadronic gamma-rays, produced through the decay of neutral pions, are expected to display a characteristic “pion bump” or “spectral break” around 200 MeV. Recent studies by the Fermi-LAT Collaboration highlight 56 sources from the 4FGL Catalog exhibiting a spectral break in the MeV energy range. Detecting astrophysical neutrinos from these sources would provide compelling evidence for cosmic-ray acceleration in their vicinity. In this analysis, we search for astrophysical neutrino emission from 56 sources showing characteristics of a pion bump using 13 years of IceCube data. Our findings could enhance our understanding of potential cosmic-ray acceleration sites in the galaxy.

Corresponding authors: Alejandra Granados^{1*}, Rishi Babu¹, Mehr Un Nisa¹

¹ *Dept. of Physics and Astronomy, Michigan State University, East Lansing, MI 48824, USA*

* Presenter

39th International Cosmic Ray Conference (ICRC2025)
15–24 July 2025
Geneva, Switzerland



1. Introduction

The IceCube Neutrino Observatory, a cubic-kilometer detector located at the South Pole, has been searching for astrophysical neutrinos since 2010 [1]. In 2023, IceCube detected diffuse neutrino emission from the Galactic Plane (GP) [2], confirming that high-energy neutrinos are being produced within our galaxy. However, no individual point sources have been identified to date. Detecting a Galactic neutrino point source would help address one of the longest-standing questions in high-energy astrophysics: the origin of cosmic rays.

The spectra of hadronic gamma rays, resulting from pion decay, exhibit a characteristic "pion bump" or spectral break near 200 MeV [3]. High-energy protons, such as cosmic rays, interact with the interstellar medium, producing secondary particles such as pions. These pions subsequently decay into gamma rays and neutrinos. The presence of the pion bump serves as a distinct signature of hadronic emission. Sources displaying this feature are also potential neutrino emitters, as neutrinos are typically produced in hadronic interactions.

In this analysis, we search for astrophysical neutrino emission from 56 sources that exhibit characteristics of a pion bump, using 13 years of IceCube data. Our goal is to test if the spectral break indeed originates from hadronic processes, and to assess how much of the observed Galactic Plane flux could originate from these sources. To do this, we compare our sensitivities with the diffuse flux from the galactic plane reported in the recent IceCube analysis [2]. These findings will help improve our understanding of potential cosmic-ray acceleration sites in the Galaxy.

2. Potential Sources in the Galactic Plane

The Fermi Large Area Telescope (LAT) has identified 56 sources in the Galactic Plane from the 4FGL [4] that exhibit the characteristic "pion bump" spectral break between 50 MeV and 1 GeV [3]. The source list includes the following classes: Supernova Remnants (SNR), Pulsar Wind Nebulae (PWN), High-Mass X-Ray Binaries (HMB), Star-Forming Regions (SFR), Supernova Remnants/Pulsar Wind Nebulae/composite sources (SPP), Binaries (BIN), Unidentified (UNID), and Unknown (UNK), shown in Table 1.

Source Class	# of Sources
Supernova Remnant (SNR)	13
High Mass X-Ray Binaries (HMB)	3
Pulsar Wind Nebulae (PWN)	2
Star Forming Regions (SFR)	1
Supernova Remnant/ Pulsar Wind Nebulae (SPP)	6
Binaries (BIN)	1
Unidentified (UNID)	26
Unknown (UNK)	4

Table 1: Classification of the 56 sources used in this analysis.

SPPs are sources of unknown nature but overlap with known SNRs or PWNe, making them candidates for these classes, while UNK are sources associated with counterparts of unknown




Figure 1: Gamma-ray spectral break for the SNR source class. The spectral break resembles a pion-bump. The black lines represent the spectral break energies.

nature [3]. The UNID source class, on the other hand, contains sources that have not been definitely associated with any known astrophysical object or source type. Many of these classes, such as SNRs and PWNe, are known or suspected sites of cosmic acceleration [3], making them promising candidates for hadronic neutrino emission. Notably, a large fraction of the sources in the catalog remain unidentified, and this analysis contributes to their characterization regardless of whether a hadronic interpretation is confirmed.

In addition, we cross referenced Fermi-LAT sources with the TeV Gamma-ray Catalog (TeVCat) [5] by searching for counterparts within 0.5° of the Fermi source location. Of the 56 sources, 15 have a TeV counterpart. Since IceCube’s sensitivity is greatest in the TeV range, these sources are especially relevant for neutrino searches. Table 2 lists the 15 sources with TeV gamma-ray counterparts.

Table 2: List of 4FGL sources with TeV counterparts found within 0.5° .

4FGL Name	Source Class	TeVCat Counterpart
4FGLJ0617.2+2234e	SNR	IC 443
4FGLJ1801.3-2326e	SNR	W28
4FGLJ1911.0+0905f	SNR	W49B
4FGLJ1923.2+1408e	SNR	W51
4FGLJ1633.0-4746e	SPP	HESS J1632-478
4FGLJ0340.4+5302	UNID	LHAASO J0341+5258
4FGLJ2108.0+5155	UNID	LHAASO J2108+5153u
4FGLJ1018.9-5856	PWN	HESS J1018-589B
4FGLJ1514.2-5909e	PWN	MSH15-52
4FGLJ1857.7+0246e	PWN	HESS J1857+026
4FGLJ0240.5+6113	HMXB	LSI+61303
4FGLJ2032.4+4053	HMXB	LHAASO J2031+4052u
4FGLJ0545.1-5139	BIN	Eta-Carinae
4FGLJ2028.6+4110e	SFR	Cocoon
4FGLJ1839.4-0553	UNK	LHAASO J1839-0545




Figure 2: Angular resolution as a function of $\sin(\delta)$ for the combined data set. The plot shows the 20% (darkest band), 50% (middle band), and 80% (lightest band) quantile which represents the containment of the angular separation between the true and reconstructed directions.

3. Analysis Methods

3.1 Detecting Neutrinos with IceCube

IceCube detects neutrinos by observing the Cherenkov light produced when secondary particles travel through the ice. The energy and direction of the incoming neutrinos are reconstructed based on the timing and intensity of light detected by the optical sensors [6], [7].

There are two primary types of neutrino events in IceCube. The first, known as *tracks*, originate from charged-current ν_μ interactions, which produce high-energy muons that travel long distances through the detector. These muons leave behind elongated Cherenkov light patterns, enabling precise angular reconstruction with a resolution of about 1° , making them ideal for point-source searches [8]. The second type, called *cascades*, result from ν_e , ν_τ , and neutral-current interactions. These events produce roughly spherical light patterns from particle showers. While cascades offer excellent energy resolution, their angular resolution is coarser, approximately 10° , making them better suited for diffuse flux measurements [9].

This analysis incorporates both track and cascade events from 13 years of IceCube data, enabling a combined search. To avoid double counting, overlapping events between the two datasets were removed. Figure 2 shows the angular resolution of the combined data sample as a function of declination. In the Southern sky, the signal is dominated by cascades, while in the Northern sky, it is dominated by tracks. The median angular resolution remains below 7.5° in the Southern sky and below 1° in the Northern sky, reflecting the superior angular precision of track-like events.

3.2 Likelihood Method

This analysis is based on the standard unbinned likelihood framework described in [10], which has been widely used in IceCube point-source searches. The likelihood function depends on key parameters such as the number of signal neutrinos, the spectral index, and event observables such as the reconstructed energy and direction.

Within this framework, we perform two main types of analysis: a *stacking analysis* and a *catalog analysis*, as described in the following sections. To evaluate the presence of a signal, we




Figure 3: Stacked Sensitivity Spectra. The sources are weighted by their integrated MeV–GeV flux reported by Fermi. For each of the source class, the integrated sensitivity is shown using the γ of the highest weighted source and $E_0 = 100$ TeV. The black solid line shows the π^0 best-fit flux from IceCube’s Galactic plane diffuse measurement [2]. The comparison with the Galactic plane diffuse emission illustrates the fraction of the Galactic diffuse flux that is constrained in the stacking analysis.

define a test statistic (TS) that compares the likelihood of the signal-plus-background hypothesis to the background-only hypothesis. To estimate the background distribution, we randomize the data in right ascension (RA). Further, we mask the galactic plane when performing the randomization. This data-driven technique minimizes systematic errors while removing any real astrophysical signal, ensuring an unbiased sensitivity estimate. For each test, we perform 10,000 simulations on the scrambled data and obtain a TS distribution. To obtain a sensitivity, we inject an increasing number of signal events from Monte Carlo and record the resulting TS. We define the sensitivity flux as the flux level that exceeds the median background TS in 90% of the background-only simulation.

3.2.1 Stacking Analysis

The stacking analysis combines information from multiple sources to enhance sensitivity by summing their contributions in a single likelihood. In this work, we stack sources by class, limiting the subsets to classes with more than five sources: SNR, SPP, UNID, and sources with TeV counterpart (TeVCat). Note that TeVCat is not a distinct source class but a cross-matched subset with TeV detections, included here as a separate stacking test to investigate the impact of TeV emission on detectability.

To compute the stacked sensitivity, we weight each source by the integrated MeV–GeV flux reported by Fermi-LAT [3]. In addition, we incorporate the individual spectral indices (γ) of each source into the stacking when injecting a simulated flux. To report a representative sensitivity flux for each class, we adopt the spectral index of the most highly weighted source. Figure 3 presents the sensitivity fluxes for each stacked class.

Our stacking results show sensitivities two orders of magnitude below the reported Galactic diffuse neutrino flux [2]. This suggests that the analysis will be sensitive to a flux as weak as 1% of the Galactic plane emission.




Figure 4: Sensitivity flux vs Sin (δ) for sources in the SNR source class. The 90% confidence level of the sensitivity flux was calculated at 25 TeV, using the γ from Fermi-LAT after the break.

3.2.2 Catalog Analysis

The catalog analysis evaluates all 56 sources individually, and we compare their respective sensitivity fluxes to the measured diffuse flux. The sensitivity flux calculated for the SNR source class is shown in Figure 4.

4. Outlook

This analysis provides a dedicated search for neutrinos from the Galactic Plane, focusing on sources having spectral features consistent with hadronic gamma-ray emission. By evaluating the neutrino contribution from 56 Fermi-LAT sources, we aim to constrain their contribution to the Galactic diffuse flux. Additionally, the results can contribute to the characterization of currently unidentified sources, regardless of whether a hadronic interpretation is ultimately confirmed.

References

- [1] **IceCube** Collaboration, M. G. Aartsen *et al.*, *JINST* **12** no. 03, (2017) P03012.
- [2] **IceCube** Collaboration, A. Albert *et al.*, *Science* **380** (2023) 1338–1343.
- [3] S. Abdollahi *et al.*, *ApJ* **933** (2022) 204.
- [4] **Fermi-LAT** Collaboration, S. Abdollahi *et al.*, *ApJS* **247** no. 33, (2020) .
- [5] S. P. Wakely and D. Horan, *International Cosmic Ray Conference* **3** (2008) 1341–1344.
- [6] **AMANDA** Collaboration, J. Ahrens *et al.*, *Nucl.Instrum.Meth.A* **524** (2004) 169–194.
- [7] **IceCube** Collaboration, M. Aartsen *et al.*, *JINST* **9** (2014) .
- [8] **IceCube** Collaboration, M. Aartsen *et al.*, *Physical Review Letters* **124** (2020) .

- [9] **IceCube** Collaboration, R. Abbasi *et al.*, *JINST* **16** (2021) P07041.
- [10] J. Braun *et al.*, *Astroparticle physics* **29** (2008) 299–305.

Full Author List: IceCube Collaboration

R. Abbasi¹⁶, M. Ackermann⁶³, J. Adams¹⁷, S. K. Agarwalla^{39, a}, J. A. Aguilar¹⁰, M. Ahlers²¹, J.M. Alameddine²², S. Ali³⁵, N. M. Amin⁴³, K. Andeen⁴¹, C. Argüelles¹³, Y. Ashida⁵², S. Athanasiadou⁶³, S. N. Axani⁴³, R. Babu²³, X. Bai⁴⁹, J. Baines-Holmes³⁹, A. Balagopal V.^{39, 43}, S. W. Barwick²⁹, S. Bash²⁶, V. Basu⁵², R. Bay⁶, J. J. Beatty^{19, 20}, J. Becker Tjus^{9, b}, P. Behrens¹, J. Beise⁶¹, C. Bellenghi²⁶, B. Benkel⁶³, S. BenZvi⁵¹, D. Berley¹⁸, E. Bernardini^{47, c}, D. Z. Besson³⁵, E. Blaufuss¹⁸, L. Bloom⁵⁸, S. Blot⁶³, I. Bodo³⁹, F. Bontempo³⁰, J. Y. Book Motzkin¹³, C. Boscolo Meneguolo^{47, c}, S. Böser⁴⁰, O. Botner⁶¹, J. Böttcher¹, J. Braun³⁹, B. Brinson⁴, Z. Brisson-Tsavoussis³², R. T. Burley², D. Butterfield³⁹, M. A. Campana⁴⁸, K. Carloni¹³, J. Carpio^{33, 34}, S. Chattopadhyay^{39, a}, N. Chau¹⁰, Z. Chen⁵⁵, D. Chirkin³⁹, S. Choi⁵², B. A. Clark¹⁸, A. Coleman⁶¹, P. Coleman¹, G. H. Collin¹⁴, D. A. Coloma Borja⁴⁷, A. Connolly^{19, 20}, J. M. Conrad¹⁴, R. Corley⁵², D. F. Cowen^{59, 60}, C. De Clercq¹¹, J. J. DeLaunay⁵⁹, D. Delgado¹³, T. Delmeulle¹⁰, S. Deng¹, P. Desiati³⁹, K. D. de Vries¹¹, G. de Wasseige³⁶, T. DeYoung²³, J. C. Díaz-Vélez³⁹, S. DiKerby²³, M. Dittmer⁴², A. Domi²⁵, L. Draper⁵², L. Dueser¹, D. Durnford²⁴, K. Dutta⁴⁰, M. A. DuVernois³⁹, T. Ehrhardt⁴⁰, L. Eidenschink²⁶, A. Eimer²⁵, P. Eller²⁶, E. Ellinger⁶², D. Elsässer²², R. Engel^{30, 31}, H. Erpenbeck³⁹, W. Esmail¹³, S. Eulig¹³, J. Evans¹⁸, P. A. Evenson⁴³, K. L. Fan¹⁸, K. Fang³⁹, K. Farrag¹⁵, A. R. Fazely⁵, A. Fedynitch⁵⁷, N. Feigl⁸, C. Finley⁵⁴, L. Fischer⁶³, D. Fox⁵⁹, A. Franckowiak⁹, S. Fukami⁶³, P. Fürst¹, J. Gallagher³⁸, E. Ganster¹, A. Garcia¹³, M. Garcia⁴³, G. Garg^{39, a}, E. Genton^{13, 36}, L. Gerhardt⁷, A. Ghadimi⁵⁸, C. Glaser⁶¹, T. Glüsenkamp⁶¹, J. G. Gonzalez⁴³, S. Goswami^{33, 34}, A. Granados²³, D. Grant¹², S. J. Gray¹⁸, S. Griffin³⁹, S. Griswold⁵¹, K. M. Groth²¹, D. Guevel³⁹, C. Günther¹, P. Gutjahr²², C. Ha⁵³, C. Haack²⁵, A. Hallgren⁶¹, L. Halve¹, F. Halzen³⁹, L. Hamacher¹, M. Ha Minh²⁶, M. Handt¹, K. Hanson³⁹, J. Hardin¹⁴, A. A. Harnisch²³, P. Hatch³², A. Haungs³⁰, J. Häußler¹, K. Helbing⁶², J. Hellrung⁹, B. Henke²³, L. Hennig²⁵, F. Henningsen¹², L. Heuermann¹, R. Hewett¹⁷, N. Heyer⁶¹, S. Hickford⁶², A. Hidvegi⁵⁴, C. Hill¹⁵, G. C. Hill², R. Hmaid¹⁵, K. D. Hoffman¹⁸, D. Hooper³⁹, S. Hori³⁹, K. Hoshina^{39, d}, M. Hostert¹³, W. Hou³⁰, T. Huber³⁰, K. Hultqvist⁵⁴, K. Hymon^{22, 57}, A. Ishihara¹⁵, W. Iwakiri¹⁵, M. Jacquart²¹, S. Jain³⁹, O. Janik²⁵, M. Jansson³⁶, M. Jeong⁵², M. Jin¹³, N. Kamp¹³, D. Kang³⁰, W. Kang⁴⁸, X. Kang⁴⁸, A. Kappes⁴², L. Kardum²², T. Karg⁶³, M. Karl²⁶, A. Karle³⁹, A. Katil²⁴, M. Kauer³⁹, J. L. Kelley³⁹, M. Khanal⁵², A. Khatee Zathul³⁹, A. Kheirandish^{33, 34}, H. Kimku⁵³, J. Kiryluk⁵⁵, C. Klein²⁵, S. R. Klein^{6, 7}, Y. Kobayashi¹⁵, A. Kochocki²³, R. Koirala⁴³, H. Kolanoski⁸, T. Kontrimas²⁶, L. Köpke⁴⁰, C. Kopper²⁵, D. J. Koskinen²¹, P. Koundal⁴³, M. Kowalski^{8, 63}, T. Kozynets²¹, N. Krieger⁹, J. Krishnamoorthi^{39, a}, T. Krishnan¹³, K. Kruiswijk³⁶, E. Krupczak²³, A. Kumar⁶³, E. Kun⁹, N. Kurahashi⁴⁸, N. Lad⁶³, C. Lagunas Gualda²⁶, L. Lallement Arnaud¹⁰, M. Lamoureux³⁶, M. J. Larson¹⁸, F. Lauber⁶², J. P. Lazar³⁶, K. Leonard DeHolton⁶⁰, A. Leszczyńska⁴³, J. Liao⁴, C. Lin⁴³, Y. T. Liu⁶⁰, M. Liubarska²⁴, C. Love⁴⁸, L. Lu³⁹, F. Lucarelli²⁷, W. Luszczyk^{19, 20}, Y. Lyu^{6, 7}, J. Madsen³⁹, E. Magnus¹¹, K. B. M. Mahn²³, Y. Makino³⁹, E. Manao²⁶, S. Mancina^{47, e}, A. Mand³⁹, I. C. Mariş¹⁰, S. Marka⁴⁵, Z. Marka⁴⁵, L. Marten¹, I. Martinez-Soler¹³, R. Maruyama⁴⁴, J. Mauro³⁶, F. Mayhew²³, F. McNally³⁷, J. V. Mead²¹, K. Meagher³⁹, S. Mechbal⁶³, A. Medina²⁰, M. Meier¹⁵, Y. Merckx¹¹, L. Merten⁹, J. Mitchell⁵, L. Molchany⁴⁹, T. Montaruli²⁷, R. W. Moore²⁴, Y. Morii¹⁵, A. Mosbrugger²⁵, M. Moulai³⁹, D. Mousadi⁶³, E. Moyaux³⁶, T. Mukherjee³⁰, R. Naab⁶³, M. Nakos³⁹, U. Naumann⁶², J. Necker⁶³, L. Neste⁵⁴, M. Neumann⁴², H. Niederhausen²³, M. U. Nisa²³, K. Noda¹⁵, A. Noell¹, A. Novikov⁴³, A. Obertacke Pollmann¹⁵, V. O'Dell³⁹, A. Olivas¹⁸, R. Orsoe²⁶, J. Osborn³⁹, E. O'Sullivan⁶¹, V. Palusova⁴⁰, H. Pandya⁴³, A. Parenti¹⁰, N. Park³², V. Parrish²³, E. N. Paudel⁵⁸, L. Paul⁴⁹, C. Pérez de los Heros⁶¹, T. Pernice⁶³, J. Peterson³⁹, M. Plum⁴⁹, A. Pontén⁶¹, V. Poojyam⁵⁸, Y. Popovych⁴⁰, M. Prado Rodriguez³⁹, B. Pries²³, R. Procter-Murphy¹⁸, G. T. Przybylski⁷, L. Pyras⁵², C. Raab³⁶, J. Rack-Helleis⁴⁰, N. Rad⁶³, M. Ravn⁶¹, K. Rawlins³, Z. Rechav³⁹, A. Rehman³⁹, I. Reistoffer⁴⁹, E. Resconi²⁶, S. Reusch⁶³, C. D. Rho⁵⁶, W. Rhode²², L. Ricca³⁶, B. Riedel³⁹, A. Rifaie⁶², E. J. Roberts², S. Robertson^{6, 7}, M. Rongen²⁵, A. Rosted¹⁵, C. Rott⁵², T. Ruhe²², L. Ruohan²⁶, D. Ryckbosch²⁸, J. Saffer³¹, D. Salazar-Gallegos²³, P. Sampathkumar³⁰, A. Sandrock⁶², G. Sanger-Johnson²³, M. Santander⁵⁸, S. Sarkar⁴⁶, J. Savelberg¹, M. Scarnera³⁶, P. Schaile²⁶, M. Schaufel¹, H. Schieler³⁰, S. Schindler²⁵, L. Schlickmann⁴⁰, B. Schlüter⁴², F. Schlüter¹⁰, N. Schmeisser⁶², T. Schmidt¹⁸, F. G. Schröder^{30, 43}, L. Schumacher²⁵, S. Schwirn¹, S. Sclafani¹⁸, D. Seckel⁴³, L. Seen³⁹, M. Seikh³⁵, S. Seunarine⁵⁰, P. A. Seville Myhr³⁶, R. Shah⁴⁸, S. Shefali³¹, N. Shimizu¹⁵, B. Skrzypek⁶, R. Snihur³⁹, J. Soedingrekso²², A. Sogaard²¹, D. Soldin⁵², P. Soldin¹, G. Sommani⁹, C. Spannfellner²⁶, G. M. Spiczak⁵⁰, C. Spiering⁶³, J. Stachurska²⁸, M. Stamatikos²⁰, T. Stanev⁴³, T. Stezelberger⁷, T. Stürwald⁶², T. Stuttard²¹, G. W. Sullivan¹⁸, I. Taboada⁴, S. Ter-Antonyan⁵, A. Terliuk²⁶, A. Thakuri⁴⁹, M. Thiesmeyer³⁹, W. G. Thompson¹³, J. Thwaites³⁹, S. Tilav⁴³, K. Tollefson²³, S. Toscano¹⁰, D. Tosi³⁹, A. Trettin⁶³, A. K. Upadhyay^{39, a}, K. Upshaw⁵, A. Vaidyanathan⁴¹, N. Valtonen-Mattila^{9, 61}, J. Valverde⁴¹, J. Vandenbroucke³⁹, T. van Eeden⁶³, N. van Eijndhoven¹¹, L. van Rootselaar²², J. van Santen⁶³, F. J. Vara Carbonell⁴², F. Varsi³¹, M. Venugopal³⁰, M. Vereecken³⁶, S. Vergara Carrasco¹⁷, S. Verpoest⁴³, D. Veske⁴⁵, A. Vijai¹⁸, J. Villarreal¹⁴, C. Walck⁵⁴, A. Wang⁴, E. Warrick⁵⁸, C. Weaver²³, P. Weigel¹⁴, A. Weindl³⁰, J. Weldert⁴⁰, A. Y. Wen¹³, C. Wendt³⁹, J. Werthebach²², M. Weyrauch³⁰, N. Whitehorn²³, C. H. Wiebusch¹, D. R. Williams⁵⁸, L. Witthaus²², M. Wolf²⁶, G. Wrede²⁵, X. W. Xu⁵, J. P. Yañez²⁴, Y. Yao³⁹, E. Yildizci³⁹, S. Yoshida¹⁵, R. Young³⁵, F. Yu¹³, S. Yu⁵², T. Yuan³⁹, A. Zegarelli⁹, S. Zhang²³, Z. Zhang⁵⁵, P. Zhelnin¹³, P. Zilberman³⁹

¹ III. Physikalisches Institut, RWTH Aachen University, D-52056 Aachen, Germany² Department of Physics, University of Adelaide, Adelaide, 5005, Australia³ Dept. of Physics and Astronomy, University of Alaska Anchorage, 3211 Providence Dr., Anchorage, AK 99508, USA⁴ School of Physics and Center for Relativistic Astrophysics, Georgia Institute of Technology, Atlanta, GA 30332, USA⁵ Dept. of Physics, Southern University, Baton Rouge, LA 70813, USA⁶ Dept. of Physics, University of California, Berkeley, CA 94720, USA⁷ Lawrence Berkeley National Laboratory, Berkeley, CA 94720, USA⁸ Institut für Physik, Humboldt-Universität zu Berlin, D-12489 Berlin, Germany⁹ Fakultät für Physik & Astronomie, Ruhr-Universität Bochum, D-44780 Bochum, Germany¹⁰ Université Libre de Bruxelles, Science Faculty CP230, B-1050 Brussels, Belgium

- ¹¹ Vrije Universiteit Brussel (VUB), Dienst ELEM, B-1050 Brussels, Belgium
¹² Dept. of Physics, Simon Fraser University, Burnaby, BC V5A 1S6, Canada
¹³ Department of Physics and Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA 02138, USA
¹⁴ Dept. of Physics, Massachusetts Institute of Technology, Cambridge, MA 02139, USA
¹⁵ Dept. of Physics and The International Center for Hadron Astrophysics, Chiba University, Chiba 263-8522, Japan
¹⁶ Department of Physics, Loyola University Chicago, Chicago, IL 60660, USA
¹⁷ Dept. of Physics and Astronomy, University of Canterbury, Private Bag 4800, Christchurch, New Zealand
¹⁸ Dept. of Physics, University of Maryland, College Park, MD 20742, USA
¹⁹ Dept. of Astronomy, Ohio State University, Columbus, OH 43210, USA
²⁰ Dept. of Physics and Center for Cosmology and Astro-Particle Physics, Ohio State University, Columbus, OH 43210, USA
²¹ Niels Bohr Institute, University of Copenhagen, DK-2100 Copenhagen, Denmark
²² Dept. of Physics, TU Dortmund University, D-44221 Dortmund, Germany
²³ Dept. of Physics and Astronomy, Michigan State University, East Lansing, MI 48824, USA
²⁴ Dept. of Physics, University of Alberta, Edmonton, Alberta, T6G 2E1, Canada
²⁵ Erlangen Centre for Astroparticle Physics, Friedrich-Alexander-Universität Erlangen-Nürnberg, D-91058 Erlangen, Germany
²⁶ Physik-department, Technische Universität München, D-85748 Garching, Germany
²⁷ Département de physique nucléaire et corpusculaire, Université de Genève, CH-1211 Genève, Switzerland
²⁸ Dept. of Physics and Astronomy, University of Gent, B-9000 Gent, Belgium
²⁹ Dept. of Physics and Astronomy, University of California, Irvine, CA 92697, USA
³⁰ Karlsruhe Institute of Technology, Institute for Astroparticle Physics, D-76021 Karlsruhe, Germany
³¹ Karlsruhe Institute of Technology, Institute of Experimental Particle Physics, D-76021 Karlsruhe, Germany
³² Dept. of Physics, Engineering Physics, and Astronomy, Queen's University, Kingston, ON K7L 3N6, Canada
³³ Department of Physics & Astronomy, University of Nevada, Las Vegas, NV 89154, USA
³⁴ Nevada Center for Astrophysics, University of Nevada, Las Vegas, NV 89154, USA
³⁵ Dept. of Physics and Astronomy, University of Kansas, Lawrence, KS 66045, USA
³⁶ Centre for Cosmology, Particle Physics and Phenomenology - CP3, Université catholique de Louvain, Louvain-la-Neuve, Belgium
³⁷ Department of Physics, Mercer University, Macon, GA 31207-0001, USA
³⁸ Dept. of Astronomy, University of Wisconsin—Madison, Madison, WI 53706, USA
³⁹ Dept. of Physics and Wisconsin IceCube Particle Astrophysics Center, University of Wisconsin—Madison, Madison, WI 53706, USA
⁴⁰ Institute of Physics, University of Mainz, Staudinger Weg 7, D-55099 Mainz, Germany
⁴¹ Department of Physics, Marquette University, Milwaukee, WI 53201, USA
⁴² Institut für Kernphysik, Universität Münster, D-48149 Münster, Germany
⁴³ Bartol Research Institute and Dept. of Physics and Astronomy, University of Delaware, Newark, DE 19716, USA
⁴⁴ Dept. of Physics, Yale University, New Haven, CT 06520, USA
⁴⁵ Columbia Astrophysics and Nevis Laboratories, Columbia University, New York, NY 10027, USA
⁴⁶ Dept. of Physics, University of Oxford, Parks Road, Oxford OX1 3PU, United Kingdom
⁴⁷ Dipartimento di Fisica e Astronomia Galileo Galilei, Università Degli Studi di Padova, I-35122 Padova PD, Italy
⁴⁸ Dept. of Physics, Drexel University, 3141 Chestnut Street, Philadelphia, PA 19104, USA
⁴⁹ Physics Department, South Dakota School of Mines and Technology, Rapid City, SD 57701, USA
⁵⁰ Dept. of Physics, University of Wisconsin, River Falls, WI 54022, USA
⁵¹ Dept. of Physics and Astronomy, University of Rochester, Rochester, NY 14627, USA
⁵² Department of Physics and Astronomy, University of Utah, Salt Lake City, UT 84112, USA
⁵³ Dept. of Physics, Chung-Ang University, Seoul 06974, Republic of Korea
⁵⁴ Oskar Klein Centre and Dept. of Physics, Stockholm University, SE-10691 Stockholm, Sweden
⁵⁵ Dept. of Physics and Astronomy, Stony Brook University, Stony Brook, NY 11794-3800, USA
⁵⁶ Dept. of Physics, Sungkyunkwan University, Suwon 16419, Republic of Korea
⁵⁷ Institute of Physics, Academia Sinica, Taipei, 11529, Taiwan
⁵⁸ Dept. of Physics and Astronomy, University of Alabama, Tuscaloosa, AL 35487, USA
⁵⁹ Dept. of Astronomy and Astrophysics, Pennsylvania State University, University Park, PA 16802, USA
⁶⁰ Dept. of Physics, Pennsylvania State University, University Park, PA 16802, USA
⁶¹ Dept. of Physics and Astronomy, Uppsala University, Box 516, SE-75120 Uppsala, Sweden
⁶² Dept. of Physics, University of Wuppertal, D-42119 Wuppertal, Germany
⁶³ Deutsches Elektronen-Synchrotron DESY, Platanenallee 6, D-15738 Zeuthen, Germany
^a also at Institute of Physics, Sachivalaya Marg, Sainik School Post, Bhubaneswar 751005, India
^b also at Department of Space, Earth and Environment, Chalmers University of Technology, 412 96 Gothenburg, Sweden
^c also at INFN Padova, I-35131 Padova, Italy
^d also at Earthquake Research Institute, University of Tokyo, Bunkyo, Tokyo 113-0032, Japan
^e now at INFN Padova, I-35131 Padova, Italy

Acknowledgments

The authors gratefully acknowledge the support from the following agencies and institutions: USA – U.S. National Science Foundation-Office of Polar Programs, U.S. National Science Foundation-Physics Division, U.S. National Science Foundation-EPSCoR, U.S. National Science Foundation-Office of Advanced Cyberinfrastructure, Wisconsin Alumni Research Foundation, Center for High Throughput Computing (CHTC) at the University of Wisconsin–Madison, Open Science Grid (OSG), Partnership to Advance Throughput Computing (PATH), Advanced Cyberinfrastructure Coordination Ecosystem: Services & Support (ACCESS), Frontera and Ranch computing project at the Texas Advanced Computing Center, U.S. Department of Energy-National Energy Research Scientific Computing Center, Particle astrophysics research computing center at the University of Maryland, Institute for Cyber-Enabled Research at Michigan State University, Astroparticle physics computational facility at Marquette University, NVIDIA Corporation, and Google Cloud Platform; Belgium – Funds for Scientific Research (FRS-FNRS and FWO), FWO Odysseus and Big Science programmes, and Belgian Federal Science Policy Office (Belspo); Germany – Bundesministerium für Forschung, Technologie und Raumfahrt (BMFTR), Deutsche Forschungsgemeinschaft (DFG), Helmholtz Alliance for Astroparticle Physics (HAP), Initiative and Networking Fund of the Helmholtz Association, Deutsches Elektronen Synchrotron (DESY), and High Performance Computing cluster of the RWTH Aachen; Sweden – Swedish Research Council, Swedish Polar Research Secretariat, Swedish National Infrastructure for Computing (SNIC), and Knut and Alice Wallenberg Foundation; European Union – EGI Advanced Computing for research; Australia – Australian Research Council; Canada – Natural Sciences and Engineering Research Council of Canada, Calcul Québec, Compute Ontario, Canada Foundation for Innovation, WestGrid, and Digital Research Alliance of Canada; Denmark – Villum Fonden, Carlsberg Foundation, and European Commission; New Zealand – Marsden Fund; Japan – Japan Society for Promotion of Science (JSPS) and Institute for Global Prominent Research (IGPR) of Chiba University; Korea – National Research Foundation of Korea (NRF); Switzerland – Swiss National Science Foundation (SNSF).